



# Surround Yourself With **Beautiful**

You want your surroundings to be a reflection of your vision; a window into your imagination. Thoughts come in bursts of colors, shapes and patterns and when you sit down to sew, a certain magic guides your process towards an expression of what you love. You turn simple pieces of fabric and thread into something much more. Without words, you make your mark and define your beautiful.



FRANCE GENERAL MACHINES A COUDRE 13 Chemin du Génie 69200 Vénissieux Tél : +33(0) 4 78 68 66 62 + 33(0)6 45 58 79 03 E mail : contact@fgmc.pro https://francegeneralmachinesacoudre.fr

### **Superior Needle Threader**

Threading couldn't be easier! Set your thread, push the lever on the left side, release and sew! This time saving feature allows you to get sewing faster. Its advanced design feeds the thread through the eye of the needle with precise accuracy every time.

1: 11111

### Hands-On Convenience

JANOME (♦) (४

0

1

START

The tactile exterior dials often preferred by active sewists include the tension regulating dial, stepless presser foot pressure adjustment and multi-function rotary encoder dials for stitch width, length and additional functions.

4.7"

1

### Programmable Direct Select Stitches

Make this your custom machine. Seven of the direct selection keys can be custom programmed with your favorite stitch patterns for one-touch access. Your stitches are saved and displayed on the bright 3.6" LCD screen.

1

4

7

G

FS HB SET

2 (3

5

R

0

6

9

0 Memory Craft 6700P

MODE



### **One-Push Needle Plate** Conversion

No screws or tools necessary! Simply push the lever to release the plate and snap a new one in place. The MC6700P comes with three standard needle plates: zigzag, straight stitch and the Professional Grade HP plate.

### AcuFeed<mark>™ Flex</mark>

14.25"

AcuFeed<sup>™</sup> Flex is an integrated system that perfectly guides your fabric from the top and the bottom. Perfect for quilts, aligning plaids and any sewing that requires precise control.

10″

#### Seamless Flatbed Workspace

The seamless, heavy-duty, powder-coated, all metal flatbed offers an uninterrupted, large sewing area with 10 inches (255 mm) to the right of the needle. The streamlined machine head provides excellent visibility around the needle area.

## Legendary Precision and Control = Confidence



## Versatility: Three Needle Plates including the Professional Grade Foot HP

Precise sewing is made easier with the right tools – no matter what fabric type or sewing style you're working with. The MC6700P comes with three needle plates, including the Professional Grade Needle Plate HP that's been designed to work together with the Professional Grade Foot HP. Use this narrow gauge industrial-type foot for sewing curves and precise topstitching and you'll soon notice the superior control and visibility it offers. The Professional Grade Foot HP is also sized perfectly





for creating ¼" seams. It will surely become your go-to foot for accurate straight and curved piecing. Each plate easily changes out with Janome's **One-Push Needle Plate Conversion**.





## The meticulously crafted MC6700P

offers tactile controls, a generous sewing space and speed enhancing features for uncompromising performance and results.

## Monogramming and Pattern Combination

In addition to decorative stitches, script and block fonts are available, including multi-language characters. Uppercase lettering can be sized up to 9 mm.

# Powerful LED Lights in 3 Places

Extensive LED lighting in 3 places allows for shadowfree work areas, and greater needle illumination for all your finely sewn details.





Fold Away Dual Thread Stand and Removable Clipboard Stitch Chart





An Industry First for Speed in its Category: 1,200 SPM Straight stitch at up to 1,200 stitches per minute (SPM) for professional performance in a convenient top-loading machine. The MC6700P is designed to perform with speed, strength and stability for faster sewing results. A full metal frame and vibration suppression system ensure pleasurable, smooth, high-performance sewing.



Easy Set Bobbin Slip the bobbin thread into the cover plate guide. The built-in cutting blade trims the tail to the correct length for a super-clean start to your stitching line.



**Custom Buttonholes** The buttonhole foot's stabilizing plate assists fabric control during buttonhole formation, particularly with thicker or textured fabrics.



## SEW THE LOOK



Sewing a handmade tote doesn't have to be a challenge! Using the heavy duty frame on the MC6700P, it's easy to power through layers of interfacing and thicker materials, even leather! Think of all the boutique-style totes and coordinating pouches that you could make by sewing at up to 1,200 stitches per minute. With features like automatic buttonholes, hand-sewn-look stitches, and a built-in alphabet to make your custom designer label, you can create unique creations that celebrate your individuality. Find room in your studio for the MC6700P; you'll fall in love with sewing all over again.

Features to rely on: the Superior Needle Threader and the ergonomic Adjustable Knee Lift.



Product SpecificationsMc6700PMc6600PMc6500PMaximum Sewing Speed1.200 SPM1.000 SPM1.000 SPMNumber of Stitches2.00; Including 2.4 Japhabets135; Including 1.4 Japhabets135; Including 1.4 JaphabetsNumber of Buttonholes8 Sensor; 1.4 utomatic6 Sensor; 1.4 utomatic6 Sensor; 1.4 utomaticWork SpaceW 10 x 4.7"W 8.8 x 4.7"W 8.8 x 4.7"AcuFeed" FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in SuperiorBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Plate Conversionreplaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banksS Memory banks3 Memory banksLighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD ScreenSi <sup>21</sup> LCD ScreenS <sup>21</sup> LCD ScreenS <sup>21</sup> LCD ScreenMaximum Stitch Width9 mm7 mm5 mmStraight Stitch Needle PlateYesNoNoMaximum Stitch Length2 4.3 lb26.5 lb2.5.8 lbProfessional Grade foot and PresiYesNoNoMaximum Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNoScreenYesNoNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool				
Maximum Sewing Speed1.200 SPM1.000 SPM*1.000 SPM*Number of Stitches200; Including S Alphabets152; Including 1 Alphabet135; Including 1 AlphabetNumber of Buttonholes8 Sensor; 1 Automatic6 Sensor; 1 Automatic14 AutomaticWork SpaceW 10 x 4.7"W 8.8 x 4.7"W 8.8 x 4.7"AcuFeed" FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in Superior Needle ThreaderBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksI Lighting3 Placed LED2 Placed Krypton3" LCD Screen with easy navigation3" LCD Screen with easy navigationLighting7 Place7 PlaceSrm3" LCD ScreenKeysNo9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoPreded polYesNoNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNo <t< th=""><th>Product</th><th></th><th></th><th></th></t<>	Product			
Number of Stitches200; Including 5 Alphabets132; Including 1 AlphabetsNumber of Buttonholes8 Sensor; 1 Automatic6 Sensor; 1 Automatic6 Sensor; 1 AutomaticWork SpaceW 10 x 4.7"W 8.8 x 4.7"W 8.8 x 4.7"AcuFeed" FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in Superior Needle ThreaderBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Positions3 Memory banks5 Memory banksMachine Size20 Memory banks5 Memory banks3 Memory banksLighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen3.1" LCD Screen with navigation keysFeed Dog7 Plece7 Plece5 PleceMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoPorfessional Grade f	Specifications	MC6700P	MC6600P	MC6500P
Number of strictes5 Alphabets'2 Alphabets'1 Alphabet'Number of Buttonholes1 & Sensor; 1 Automatic6 & Sensor; 1 Automatic1 & Automatic1 & AutomaticWork SpaceW 10 x 4.7"W & & & X.4.7"W & & & & X.4.7"AcuFeed''' FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in Superior Needle ThreaderBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"D 9.7"W 19.4 x H 118.x D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screenwith easy navigation keys3" LCD Screen with navigation keys3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece7 Piece5 PieceMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoProfessional Grade foot and eedle plate HPYesNoNoSpecial Spool HolderYesNoNoSpecial Spool HolderYesNoNoSpecial Spool HolderYesNoNoSpecial Spool HolderYesNoNoSpecial Spool HolderYesNoNoSpecial Spool HolderYesNoNo	Maximum Sewing Speed	1,200 SPM	1,000 SPM*	1,000 SPM*
Number of Buttonnoles1 Automatic1 Automatic1 AutomaticWork SpaceW 10 x 4.7"W 8.8 x 4.7"W 8.8 x 4.7"AcuFeed" FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in Superior Needle ThreaderBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"D 8.7"D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen with easy navigation keys3" LCD Screen with navigation keysFeed Dog7 Plece7 Plece5 PieceMaximum Stitch Width9 mm7 mm5 mmMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoStrai	Number of Stitches			
AcuFeed™ FlexYesAcuFeed FixedNoNeedle ThreaderBuilt-in Superior Needle ThreaderBuilt-inBuilt-inEasy Set BobbinYesNoNoNeedle Positions917171Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.6"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen Mith easy navigation3.6" LCD Screen with easy navigation3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Wolth9 mm7 mm7 mmMachine Weight24.3 lb26.5 lb25.8 lbPrecisional Grade foot and eedle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch PortYesNoNoStraight Stitch PlateYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch PlateYesNoNoStraight Stitch PlateYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Needle PlateYesNoNo<	Number of Buttonholes			
Needle ThreaderBuilt-in Superior Needle ThreaderBuilt-inEasy Set BobbinYesNoNeedle Positions9171Needle Positions9171Needle Plate ConversionOne-push replaceable typeScrew-on typeMemory Function20 Memory banks5 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulkLCD Screen with easy navigation3.6" LCD Screen with easy navigation3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece3" ECD Screen with easy navigationMaximum Stitch Width9 mm7 mmMachine Weight24.3 lb26.5 lbProfessional Grade foot and eedle plate HPYesNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoGuttom Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Work Space	W 10 x 4.7"	W 8.8 x 4.7"	W 8.8 x 4.7"
Needle InreaderNeedle ThreaderBuilt-InEasy Set BobbinYesNoNeedle Positions9171Needle Positions9171Needle Plate ConversionOne-push replaceable typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen with easy navigation keys3.2" LCD Screen with easy navigation keys3." LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoProfessional Grade foot and eedle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Pree Motion cuilting FootYes, large typeYes, cord-lead typeYesButton Hole Stabilizer PlateYes, large typeYes, cord-lead typeYes	AcuFeed™ Flex	Yes	AcuFeed Fixed	No
Needle Positions917171Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screenxift CD Screen with easy navigation keys3.2" LCD Screen with navigation keysFeed Dog7 Plece7 Plece5 PleceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight1 YesNoNoSpecial Spool HolderYesNoNoGonvertible Free Motion Guilting FootYes, large typeYes, cord-lead typeYesFoot ControllerYes, large typeYes, cord-lead typeYes	Needle Threader		Built-in	Built-in
Needle Plate ConversionOne-push replaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screensi.6" LCD Screen with easy navigation keys3.2" LCD Screen with easy navigation keys3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoProfessional Grade foot and eedle plate HPYesNoNoSpecial Spool HolderYesNoNoGuilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesKatypeYes, large typeNoNo	Easy Set Bobbin	Yes	No	No
Needle Plate Conversionreplaceable typeScrew-on typeScrew-on typeMemory Function20 Memory banks5 Memory banks3 Memory banksMachine SizeW 20.3 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.7"W 19.4 x H 11.8 x D 8.6"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen with easy navigation keys3.2" LCD Screen with navigation keys3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoProfessional Grade foot and eedle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoStraight Stitch Izer Motion Quilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Needle Positions	91	71	71
Machine SizeW 20.3 × H 11.8 × D 8.7"W 19.4 × H 11.8 × D 8.7"W 19.4 × H 11.8 × D 8.6"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen with easy navigation keys3.2" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoSpecial Spool HolderYesNoNoGuilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesFoot ControllerYes, large typeYes, cord-lead typeYes	Needle Plate Conversion		Screw-on type	Screw-on type
Machine SizeD 8.7"D 8.7"D 8.6"Lighting3 Placed LED2 Placed Krypton1 Krypton BulbLCD Screen3.6" LCD Screen with easy navigation keys3.2" LCD Screen with easy navigation keys3" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYes0 NoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoGuilting FootYesNoNoButton Hole Stabilizer PlateYes, large typeYes, cord-lead typeYesFoot ControllerYes, large typeYes, cord-lead typeYes	Memory Function	20 Memory banks	5 Memory banks	3 Memory banks
LCD Screen3.6" LCD Screen with easy navigation keys3.2" LCD Screen with navigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoSpecial Spool HolderYesNoNoGonvertible Free Motion Quilting FootYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNoNo	Machine Size			
LCD Screenwith easy navigation keyswith easy navigation havigation keysFeed Dog7 Piece7 Piece5 PieceMaximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoGonvertible Free Motion Quilting FootYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNoNo	Lighting	3 Placed LED	2 Placed Krypton	1 Krypton Bulb
Maximum Stitch Width9 mm7 mm7 mmMaximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoGuilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	LCD Screen	with easy navigation	with easy navigation	
Maximum Stitch Length5 mm5 mm5 mmThread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoConvertible Free Motion Guilting FootYesNoNoButton Hole Stabilizer PlateYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Feed Dog	7 Piece	7 Piece	5 Piece
Thread cutter switch jackYesNoNoMachine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoConvertible Free Motion guilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Maximum Stitch Width	9 mm	7 mm	7 mm
Machine Weight24.3 lb26.5 lb25.8 lbProfessional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoConvertible Free Motion Quilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Maximum Stitch Length	5 mm	5 mm	5 mm
Professional Grade foot and needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoConvertible Free Motion Quilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Thread cutter switch jack	Yes	No	No
needle plate HPYesNoNoStraight Stitch Needle PlateYesNoNoSpecial Spool HolderYesNoNoConvertible Free Motion Quilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo	Machine Weight	24.3 lb	26.5 lb	25.8 lb
Special Spool HolderYesNoNoConvertible Free Motion Quilting FootYesNoNoButton Hole Stabilizer PlateYesNoNoFoot ControllerYes, large typeYes, cord-lead typeYesInstructional DVDYesNoNo		Yes	No	No
Convertible Free Motion Quilting Foot     Yes     No       Button Hole Stabilizer Plate     Yes     No       Foot Controller     Yes, large type     Yes, cord-lead type       Instructional DVD     Yes     No	Straight Stitch Needle Plate	Yes	No	No
Quilting Foot     Yes     No     No       Button Hole Stabilizer Plate     Yes     No     No       Foot Controller     Yes, large type     Yes, cord-lead type     Yes       Instructional DVD     Yes     No     No	Special Spool Holder	Yes	No	No
Foot Controller     Yes, large type     Yes, cord-lead type     Yes       Instructional DVD     Yes     No     No		Yes	No	No
Instructional DVD Yes No No	Button Hole Stabilizer Plate	Yes	No	No
	Foot Controller	Yes, large type	Yes, cord-lead type	Yes
Cover Dust cover Dust cover Dust cover	Instructional DVD	Yes	No	No
	Cover	Dust cover	Dust cover	Dust cover

\*Maximum speed with foot controller: 1,000 SPM. Maximum speed when using Start/Stop button: 700 SPM

#### \*\*Standard Accessories:

- Zigzag Foot AOvercast foot M
- 3 mm Rolled Hem Foot
- Zipper foot E
- Satin stitch foot F
- Open-toe satin stitch foot F2
- Blind hem foot G foot T France Général Machines à Coudre
- 1/4" Seam foot O
  Darning foot PD-H
  Convertible free motion quilting foot set (open toe, closed toe, clear

Réparation \* Vente \* Achat \* Location

- view toe) • Button sewing foot T
- Automatic buttonhole foot R
- Button shank plateDual feed foot AD
- Professional Grade
- HP foot • Professional Grade
- HP needle plate
- Straight stitch needle plate
  - Standard 3 hole
- needle plate
  - Dust Cover
  - Extension table
  - Deluxe, two tier accessory box



FRANCE GENERAL MACHINES A COUDRE 13 Chemin du Génie 69200 Vénissieux Tél : +33(0) 4 78 68 66 62 + 33(0)6 45 58 79 03 E mail : contact@fgmc.pro https://francegeneralmachinesacoudre.fr



## Accessories\*\*

You'll have the tools you need to tackle any project with the MC6700P's standard accessories. You'll find essentials like the AcuFeed™ Flex Dual Feed Holder with AD Foot, Blind Hem and Zipper feet along with other great accessories for numerous sewing applications. And these essentials can be kep

> in the multi-tray storage case, also included.



## Extra Wide Table

The Extra Wide Extension Table, which comes standard with the MC6700P, provides vast space for your largest quilting and home dec projects. Piecing is easier, with so much space for laying out blocks before you stitch. The bed and sewing space measures an amazing 15.5 x 25.5"!