



Excellence in seaming



1245/1246

Single- and double needle lockstitch sewing machine with unison feed

1245 1246









Sewing of medium-heavy materials, e.g. furniture and car upholstery, leather clothing, leather goods, etc.

Features:

- High traction due to unison feed
- Even feed motion without any ply-shift of individual layers
- Large vertical rotary hook with 60% more bobbin thread capacity than other standard-sized hooks (capacity with 40/3 threads: 50 m)
- Automatic hook lubrication
- Efficient hook protection against thread jamming due to standard built-in overload coupling (M)
- Rugged and durable machine construction
- The high top feed lift (7 mm) allows trouble-free sewing of thick materials and an easy sewing over cross seams
- Easy loading and unloading – even of bulky material – due to a high fabric clearance of 14 mm
- Original PFAFF Industrial machines have an additional security label with several security features on the machine head. The advantage of this security label is the protection against growing product piracy.



Versions:

Types	Model									Four-motion drop feed
		-6/01		-17/01		-900/56	-911/97			P
1245^x	C	●			8,0				-	●
1245	C	●			8,0	●	●	●	-	●
1245*	C			●	8,0				-	
1246**	C		●		6,0				6,4 ; 8,0 (further on request)	●
1246**	C		●		6,0	●	●	●	6,4 ; 8,0 (further on request)	●
1246**	C		●		6,0	●	●	●	6,4 ; 8,0 (further on request)	●

Remarks:

Part set -6/01: for general operations
Part set -17/01: for binding operations

* with part set, without attachment

** also without part set available

x on request, without "P"



Technical data:

Stitch type:

301 (lockstitch)

Max speed:

2,800

Top feed lift:

7 mm

Fabric clearance:

max. 14 mm

Needle system:

134-35

Needle size:

(Nm in 1/100 mm):

110-150

Balance wheel:

80 mm eff. dia

Motor power:

PFAFF P40 ED: 500 W (1245 with -900, -911)

Ho Hsing MJ-1: 600 W (1245 without -900, -911)

Clear work space:

270 x 115 mm

Carton dimensions:

77 x 62 x 38 cm

Bedplate dimensions:

476 x 177 mm

Net weight: (sewing head) approx. 36 kg
Gross weight:

(sewing head in carton)

approx. 44 kg



FRANCE GENERAL MACHINES A COUDRE
13 Chemin du Génie 69200 Vénissieux
Tél : +33(0) 4 78 68 66 62 + 33(0)6 45 58 79 03
E mail : contact@fgmc.pro
<https://francegeneralmachinesacoudre.fr>